

EC TYPE-EXAMINATION CERTIFICATE

- 2 - Directive 94/9/EC –
Equipment and protective systems intended for use
in potentially explosive atmospheres.
- (3) **BVS 08 ATEX E 138**
- (4) Equipment **Luminaire Type ESL26-Ex**
- (5) Manufacturer **F.H. Papenmeier GmbH & Co. KG**
- (6) Address **D-58239 Schwerte**
- (7) The design and construction of this equipment and any acceptable variation thereto are specified in the schedule to this examination certificate.
- (8) The certification body of DEKRA EXAM GmbH, notified body No. 0158 according to Article 9 of the Council Directive 94/9/EC of 23 March 1994, certifies that this equipment has been found to comply with the Essential Health and Safety Requirements relating to the design and construction of equipment and protective systems intended for use in potentially explosive atmospheres set out in Annex II to the Directive.
The examination and test results are recorded in confidential test and assessment report No. BVS PP 08.2199 EC.
- (9) The Essential Health and Safety Requirements are assured by compliance with
EN 60079-0:2006 General Requirements
EN 60079-1:2007 Flame-proof Enclosure
EN 60079-7:2007 Increased Safety
EN 61241-0:2006 General Requirements
EN 61241-1:2004 Protection by Enclosures

If the sign "X" is placed after the certificate number, it indicates that the equipment is subject to special conditions for safe use specified in the schedule to this certificate.

This EC Type-Examination Certificate relates only to the compliance of the design and construction of the specified equipment in accordance with Directive 94/9/EC.
Further requirements of the Directive apply to the manufacture and placing on the market of this equipment and are not covered by this Certificate.

The marking of the equipment shall include the following:

Ex: **II 2G Ex d e IIC T***
II 2D Ex tD A21 IP 67 T*°C**

The values for "***" are specified in the type chart, paragraph 15.3 Characteristic Values

DEKRA EXAM GmbH
Bochum, dated 22 December 2008

Signed: Dr. Jockers

Signed: Dr. Dill

Head of Certification Body

Head of Special Services Unit

Page 1 of 2

DEKRA

Schedule to

EC TYPE-EXAMINATION CERTIFICATE

BVS 08 ATEX E 138

15.1 Item and Type

Explosion-protected Luminaire Type ESL26-Ex

15.2 Description

The enclosure of luminaire Type ESL26-Ex is built for Category 2G to ignition protection rating Flameproof "d", and the attached terminal box is built to ignition protection rating Increased Safety "e".

The enclosure including the attached terminal box of luminaire Type ESL26-Ex is built for Category 2D to ignition protection rating Protection by Enclosures "tD".

The luminaire is fitted with halogen lamps for nominal voltages from 12 V to 240 V. Certain luminaire versions are additionally fitted with integral transformers. In addition, a time delay module can be built into the luminaire.

15.3 Electrical, Mechanical and Thermal Parameters:

Type ESL26-Ex	Nominal Voltage	Ambient Temperature Range	
		$-20^{\circ}\text{C} \leq T_a \leq +40^{\circ}\text{C}$	$-20^{\circ}\text{C} \leq T_a \leq +60^{\circ}\text{C}$
12V / 20W	12V AC/DC	T4 / T130°C	T4 / T130°C
24V / 20W	24V AC/DC	T4 / T130°C	T4 / T130°C
120V/12V / 20W	120V AC	T4 / T130°C	T4 / T130°C
230V/12V / 20W	230V AC	T4 / T130°C	T4 / T130°C
240V/12V / 20 W	240V AC	T4 / T130°C	T4 / T130°C
12V / 35W	12V AC/DC	T4 / T130°C	
230V / 40W	230V AC/DC	T3 / T195°C	
12V / 50W	12V AC/DC	T3 / T195°C	
24V / 50W	24V AC/DC	T3 / T195°C	
230V / 50W (GZ10)	230V AC/DC	T4 / T130°C	
230V / 50W (E27)	230V AC/DC	T3 / T195°C	

Test report No.

BVS PP 08.2199 EC, issued 22/12/2008

Special conditions for safe use

None